




BAPCO[®] MOBILEMARK[®] 2014 RESULTS

Benchmark	MobileMark 2014
Version	1.5.4.75
Project name	exone go Expert 1575
Scenario	Office Productivity
Completion date	2021-11-30 16:38:11
Iterations	6
License type	Small Business and Education (64 bit) (2169)
System conditioning	True
Process Idle task	True

Scores	Office Productivity	Performance Qualification Rating	Battery Life
Iteration 1	2694	2688	431 minutes
Iteration 2	2696		
Iteration 3	2692		
Iteration 4	2690		
Iteration 5	2678		
Iteration 6	2674		



System Info	THIS SYSTEM	CALIBRATION SYSTEM
BIOS	INSYDE Corp. 1.07.12TGC EX 7.4 2020-12-14 (Monday, December 14, 2020)	Lenovo ThinkPad T440
Motherboard type	NHx0DB,DE	20B6CTO1WW
CPU	Intel(R) Core(TM) i7-10750H CPU @ 2.60GHz	Intel(R) Core(TM) i3-4010U Processor @ 1.70GHz
Frequency	2475 MHz	1700 MHz
Memory Size	16384 MB	4096 MB
Monitor	B156HAN02.1, 15.3" (34 cm x 19 cm)	N140FGE-EA2, 13.9" (31 cm x 17 cm)
Resolution	1920 x 1080 @ 60 Hz	1600 x 900 @ 60 Hz
Brightness	Normal: 40%, Dimmed: 50%, Dimmed after 285 seconds	Normal: 80%, Dimmed: 50%, Dimmed after 240 seconds
Battery 0	Notebook BAT 0001NotebookBAT	SONY 45N1111 12975SONY45N1111, SANYO 45N1775 17744SANYO45N1775
Design Capacity	47160 mWh	46400 mWh
Full Capacity	47520 mWh	45460 mWh
Battery Health	100%	99%, 97%
Disk 0	512.1 GB SAMSUNG MZVLQ512HALU-00000	500 GB Hitachi HTS725050A7E630, 15 GB SanDisk SSD U110 16GB
Policies	Write caching: Default; Power protected: Default	Write caching: Default; Power protected: Default

GPU 0	Intel(R) UHD Graphics	Intel(R) HD Graphics 4400
Driver version	26.20.100.7642	10.18.10.3496
GPU 1	NVIDIA GeForce GTX 1650 Ti	N/A
Driver version	26.21.14.4231	N/A
Network 0	Wi-Fi	Loopback Pseudo-Interface 1
IP	192.168.0.116	127.0.0.1
Network 1	Loopback Pseudo-Interface 1	N/A
IP	127.0.0.1	N/A
OS TYPE		Windows 8.1 x64
OS VERSION	10.0.19043.985	6.3.9600.17031
Virtual Memory	19118 MB Total, 15595 MB Free	5400 MB Total, 4361 MB Free
Visual Effects	Let Windows choose what's best for my computer	Let Windows choose what's best for my computer
Desktop Composition	Enabled	Enabled
Power Policy	BAPCo MobileMark 2014	BAPCo MobileMark 2014
Tamper Protection	Disabled	Not Available
Windows Defender	Disabled	Disabled

ABOUT THE CALIBRATION SYSTEM

The calibration system is a system chosen as a reference point for all other MobileMark(R) 2014 results. BAPCo chose the configuration above for its wide availability and its representation of a typical mainstream PC at the time of release of MobileMark(R) 2014.

BAPCo(R) LEGAL DISCLAIMERS

MobileMark results are designed to reflect system behavior under controlled test conditions and workloads. Actual battery life may vary depending on the system configuration, loaded software, power management settings, customer usage patterns and health of the battery. Published MobileMark results are reported by independent third parties, who represent that they conform to the benchmark run rules stated at <http://www.bapco.com>. Publication of MobileMark results does not imply endorsement or validation of those results by BAPCo. In no event shall BAPCo be liable for any special, incidental, indirect or consequential damages of any kind arising out of the usage of MobileMark(R) 2014.